

AQUA GP

All Purpose Cleaner *Limpiador Para Todo Uso*

Food preparation is messy, and kitchen floors need constant attention. Unattended floors are not only unsanitary, but create hazardous traffic zones. **AQUA GP** is a reliable, synthetic detergent that can cut through the soils most frequently found in food handling areas, such as grease, protein and sticky carbohydrates.

This new highly concentrated cleaner has unique penetrating action that emulsifies soils and holds them in suspension until wiped up. Rinses freely, leaving the surface clean and film-free.

Very economical! Use at 1-2 ounces per gallon of water. Rinses easily; but for damp mopping unwaxed/unfinished floors such as quarry tile, rinsing is not necessary. This synthetic cleaner does not leave soap scum or hard water film.

Can be used to clean all types of flooring as well as other water safe surfaces.

RECOMMENDED USES:

- Damp mopping kitchen floors
- Fiberglass and plastic fixtures
- Walls and woodwork
- General purpose cleaning

BENEFITS:

- **ECONOMICAL** use dilutions
- **SAFE**—all purpose
- **EMULSIFIES** soils on contact
- **BIODEGRADABLE**
- **SYNTHETIC**—no soap scum

DIRECTIONS FOR USE:

For damp mopping, dilute 2 ounces cleaner per gallon of water. To clean light soil, use 1 ounces per gallon of water. Walls and woodwork dilutions are 2 ounces per gallon of warm water (4 ounces per gallon for extreme dirt build-up). For bathroom fixtures and kitchen appliances, 3 ounces per gallon of water. Wash, then wipe with soft cloth.

 **DALEY**
International

PRIVATE LABEL CHEMICALS COMMERCIAL CLEANING SOLUTIONS & SERVICES SPECIALTY COATINGS • BRANDED CHEMICALS

Questions! On any of our fine products please call



5128 Flag Drive Gallows Bay
Christiansted St. Croix 00824
340.778.3156

TRULY

All Purpose Neutralizer and Cleaner *Neutralizador Y Limpiador Para Todo Uso*

Institutional housekeepers have been faced with a challenge for many years. That challenge is to train their custodians in the application of many cleaners used daily and to keep their inventory of products down. Although no one product can do everything, this liquid was developed with these objectives in mind. Contained are mild organic acids, synthetic wetting agents and emulsifiers, and couplers whose special mixture yields the first **TRULY** all purpose cleaner. This one product cleans and delimes shower stalls, toilets, sinks and other rest-room equipment as well as cleaning and neutralizing finished floors.

This remarkable product can also be used to clean walls, woodwork, lighting fixtures, glass and mirrors, stoves, refrigerators, kitchen cabinets and many other surfaces.

RECOMMENDED USES:

- Floor Surface Neutralizing
- Bathroom Fixture Cleaning
- Removes Hard Water Film, Soap Scum
- Damp Floor Cleaning

BENEFITS:

- Versatility of Use
- Economical Dilutions
- Simplifies Choice of Cleaners
- Excellent For Use in Hard Water
- Non-Abrasive
- Safe — Non-Corrosive, No Strong Alkali or Acids



DIRECTIONS FOR USE:

VERSATILE: Can be used effectively in every cleaning job normally encountered.

SIMPLIFIES: Eliminates the need for expensive limited use products, such as bowl cleaners, tile and porcelain cleaners, neutralizer packets, etc.

SAFE TO USE: Contains no harsh alkalis or strong acids which can be corrosive to skin and clothing.

EXCEPTIONAL CLEANING POWER: Will easily cut soap scum, rust stains, grease, tar, and grime without the need for highly abrasive cleaning devices.

ECONOMICAL: Cleans outstandingly at high dilutions.

DIRECTIONS

NORMAL CLEANING: Dilute only 1 oz. per gallon of warm water to clean sinks, urinals, shower stalls, toilets, walls, window, mirrors, vinyl, leather, plastic, desks, cabinets, floors, etc. Spray, wipe, or mop on, and rinse off or wipe dry.

HEAVY DUTY CLEANING: For heavily encrusted soils and grease, dilute 2-3 oz. per gallon of hot water. Apply with a brush or mild scrubbing pad and rinse off.

NEUTRALIZER RINSE: To prepare floors for refinishing after stripping, dilute 1/2 oz. per gallon of cold water. Damp mop on and let dry.

See your sales representative for other uses of this product.

SPARKLE

No Rinse Cleaner

Limpiador Sin Enjuague

SPARKLE removes oil and dirt, yet does not contain builders and water softeners which, when dry, will leave a white residue that can dull high gloss floor surfaces.

A neutral pH product that will not harm modern floor waxes.

Cleans without stripping high gloss finishes.

Cuts the time and labor cost of everyday floor maintenance.

RECOMMENDED USES:

- Floors, Walls
- Restrooms
- Countertops
- Spray It On, Mop It On

BENEFITS:

- Fast Acting
- Versatile
- Dissolves Dirts/Oils/Rubber Marks
- Cleans/Deodorizes
- Safe On All Surfaces

SPECIAL INSTRUCTIONS:

Avoid prolonged contact. If eye or skin contact occurs, flush with lukewarm water for 15 minutes. Consult a physician if irritation persists. If swallowed, do NOT induce vomiting. Call a physician immediately. Do NOT use near heat, sparks or flame.

KEEP CONTAINER CLOSED WHEN NOT IN USE.

USE DIRECTIONS:

FOR ROUTINE FLOOR CLEANING: Use 1-2 ounces of cleaner per gallon of warm water. Suitable for hand mopping or machine cleaning. Pick up dirt and allow to air dry. No extra rinsing is required.

FOR DIRTY FLOORS: Use 4-10 ounces per gallon of water for floors, lockers, cabinets, steel files.

FOR LIGHT DEPOSITS AND CLEANING: Use 2-4 ounces of cleaner per gallon of warm water. Change the water frequently while removing dirt, for dirty water will ruin and dull high gloss finishes.

RECOMMENDED FOR: Surfaces in hospitals, supermarkets, stores, shopping malls, restaurants, schools, banks, offices, restrooms, nursing homes, day care centers, classrooms, work areas, etc.

TECHNICAL SPECIFICATIONS:

Appearance.....	Clear Blue Liquid
Odor.....	Lemon Odor
Shelf Life.....	2 year min.
Detergency.....	Excellent
Wetting Ability	Excellent
Foaming.....	Low to Moderate
Flash Point	None
Heavy Metals	None
Solubility in Water	100% Dispersible
Specific Gravity.....	1.014
pH.....	10.5
Free Acid	N/A
Density	8.5 lbs./gal.
Freeze Thaw Stability	3 Cycles
Rinsing Properties	Excellent
Viscosity	Less than 25 cps



PALACE SENTRY

Ultra High Performance Floor Coating *Capa Para Pisos De Alta Ejecucion*

PALACE SENTRY represents the very latest in polymer technology. It combines excellent durability and gloss with a very clear, non yellowing film that is easily applied and levels very well. Burnishing will greatly enhance it's gloss and durability.

PALACE SENTRY is ideal for use in all high traffic areas where the highest level of maintenance and appearance is required.

Engineered for safety, this finish meets or exceeds UL and CSPA standards for coefficient of friction (ASTM-D-2047-69) 0.5 minimum.

RECOMMENDED USES:

- Supermarkets
- Malls and Retail Stores
- Hospitals/Health Care Facilities
- Schools
- Prestigious Office Buildings

BENEFITS:

- | | |
|---------------------|------------------------|
| • Excellent Clarity | • Excellent Durability |
| • Levels Easily | • Dries Quickly |
| • Self Sealing | • High Solids |

SPECIAL INSTRUCTIONS:

PROTECT FROM FREEZING

DIRECTIONS FOR USE:

STRIPPING:

1. Place **WET FLOOR** signs around area to be stripped. Scrape up gum and other sticky residue. Dust mop entire area to remove all loose soil.
2. Strip floor using **Free N' Easy** or **PHASE 1** according to label directions.
3. Apply 3 to 4 coats of **Palace Sentry** using a clean mop. Apply at the rate of 2000 square feet per gallon. Apply 20-45 minutes of drying time between each coat of finish depending on drying conditions. (DO NOT Contaminate finish mop with cleaner or stripper.)

DAILY MAINTENANCE:

1. Place **WET FLOOR** signs around area to be cleaned. Scrape up gum and other sticky residue. Dust mop entire floor to remove all loose soil.
2. Dilute neutral floor cleaner according to label directions for daily maintenance.
3. Clean floors by hand mopping or auto scrubbing.
4. Floors may be burnished using electric, battery or propane burnisher. **NOTE: DO NOT** pour unused finish back into container. **PROTECT FROM FREEZING.**

RECOATING:

1. Place **WET FLOOR** signs around area to be cleaned. Scrape up gum and other sticky residue. Dust mop entire floor to remove all loose soil.
2. Dilute neutral floor cleaner according to label directions for recoating procedures.
3. Scrub floor with rotary floor machine or auto scrubber equipped with scrub pad or brushes.
4. Apply 1-2 coats of Palace Sentry using a clean mop. Apply at the rate of 2000 square feet per gallon.
5. Allow 20-45 minutes of drying time between each coat of finish, depending on drying conditions.



NO. 77 DETERGENT

All Purpose Neutral Cleaner

Limpiador Neutral Para Uso General

No. 77 Detergent all purpose neutral cleaner is in highly concentrated form. To obtain best results and economy it should be diluted to the proper consistency according to the type and condition of the surface to be cleaned.

This 100% synthetic detergent is a thick, heavy, viscous, pleasantly scented liquid.

It is low foaming and makes an outstanding floor cleaner and general purpose cleaner.

RECOMMENDED USES:

- Tile/Terrazzo/Marble Floors
- Walls and Woodwork
- Fiberglass, plastic, painted fixtures
- General purpose cleaning
- Glass
- Auto scrubbers

BENEFITS:

- ECONOMICAL use dilutions
- EMULSIFIES/Loosens soils on contact
- SYNTHETIC. Leaves surfaces film free
- SAFE, all purpose versatility
- BIODEGRADABLE

DIRECTIONS FOR USE:

Highly recommended for all types of floors, ceramic tile, marble, walls, woodwork, metal furniture, leather and plastic upholstery, venetian blinds, and trucks. Mix 1 to 2 ounces per gallon of warm water. Mop, spray or wipe on surface to be cleaned. Allow a few minutes for solution to loosen and penetrate the soil. Then remove emulsified soil with a clean, damp mop, sponge or cloth.

For glass and mirror finishes, use 1/2 ounce per gallon of warm water. Wipe on, then wipe off with a clean, dry cloth.

The logo for DALEY International features a stylized triangle icon to the left of the company name. The word "DALEY" is in a large, bold, serif font, and "International" is in a smaller, bold, sans-serif font below it.

PRIVATE LABEL CHEMICALS COMMERCIAL CLEANING SOLUTIONS & SERVICES SPECIALTY COATINGS • BRANDED CHEMICALS

Questions! On any of our fine products please call



5128 Flag Drive Gallows Bay
Christiansted St. Croix 00824
340.778.3156